

List of All Chemicals

P Ravensara aromatica (Lauraceae)

Common name(s)

Ravensara

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
1,8-CINEOLE	Bark	--	44.0	-1.0	*
Activities (67)					
(-)Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
(-)Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.				
Acaricide LC100=6 uM					
Allelopathic					
Allergenic					
Anesthetic					
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antiacetylcholinesterase IC50=41 ug/ml					
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.				
Antibacterial 50 ppm					
Antibronchitic					
Anticariogenic					
Anticatarrh	Martindale's 29th				
Anticholinesterase IC50=50-70					
Antifatigue					
Antihalitotic	American Health, 12(4): 17, 1993.				
Antiinflammatory					
Antilaryngitic					
Antinociceptive					
Antipharyngitic					
Antiplaque					
Antirheumatic					
Antirhinitic					
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antisinusitic					
Antispasmodic					
Antistaphylococcal 50 ppm					
Antitussive					
Antiulcer					
CNS-Stimulant					
Candidicide					
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Choleretic					
Convulsant					
Counterirritant	Martindale's 29th				
Cytochrome-P450-Inducer					
Decongestant					
Degranulant 0.3 ul/ml					
Dentifrice	Martindale's 29th				
Edemagenic inj					
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide					

Gram(+)icide	
Gram(-)icide	
Hepatotoxic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C.A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke write up of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretogogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide	
LD100=1,000 ug/ml	

1,8-CINEOLE	Leaf	--	20.0	-0.53	*
Activities (67)					
(-)Chronotropic	87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.			
(-)Inotropic	87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.			
Acaricide	LC100=6 uM				
Allélopathic					
Allergenic					
Anesthetic					
Anthelmintic		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Antiacetylcholinesterase					
IC50=41 ug/ml					
Antiallergic		J. Food Hyg. Soc. Jap. 33(6): 569.			
Antibacterial	50 ppm				
Antibronchitic					
Anticariogenic					
Anticatarrh		Martindale's 29th			
Anticholinesterase					
IC50=50-70					
Antifatigue					
Antihalitotic		American Health, 12(4): 17, 1993.			
Antiinflammatory					
Antilaryngitic					
Antinociceptive					
Antipharyngitic					
Antiplaque					
Antirheumatic					
Antirhinitic					
Antiseptic		Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Antisinusitic					
Antispasmodic					
Antistaphylococcic	50 ppm				
Antitussive					
Antiulcer					
CNS-Stimulant					
Candidicide					
Carcinogenic		Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.			
Choleretic					

Counterirritant	Martindale's 29th
Cytochrome-P450-Inducer	
Decongestant	
Degranulant 0.3 uM/ml	
Dentifrice	Martindale's 29th
Edemagenic inj	
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)icide	
Gram(-)icide	
Hepatotonic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretagogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide	
LD100=1,000 ug/ml	

ALPHA-PINENE	Leaf	--	60.0	-0.22	*
Activities (28)					
Allelochemic					
Allergenic					
Antiacne					
Antibacterial					
Antifeedant					
Antiflu	Economic & Medicinal Plant Research, 5: 195.				
Antiinflammatory 500 mg/kg					
Antipneumonic					
Antiseptic					
Antispasmodic					
Antistaphylococcic					
Antiviral	Economic & Medicinal Plant Research, 5: 195.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Coleoptophile					
Expectorant	Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.				
FLavor FEMA 15-150	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide IC50=30 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.				
Insecticide 0.82 uM/fly					
Insectifuge 50 ppm					
Insectiphile	J. Stored. Prod. Res., 22:141, 1986.				
Irritant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
P450-2B1-Inhibitor IC50=0.087 uM					
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Sedative	Lawrence Review of Natural Products, Jun-90.				

Tranquilizer
Transdermal

Lawrence Review of Natural Products, Jun-90.

ALPHA-TERPINENE

Leaf

--

80.0

-0.27

*

Activities (13)

ACE-Inhibitor 100 ug/ml (weak activity)

Acaricide

Aldose-Reductase-Inhibitor 100 ug/ml Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakujii Kenkyusho Nenpo, (20): 95-101.

Antiacetylcholinesterase IC50=1.0 mM

Antinitrosaminic

Antispasmodic

FLavor FEMA 1-40

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Insecticide 0.86 uM/fly

Insectifuge

P450-2B1-Inhibitor IC50=0.76 uM

Perfumery

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Spasmogenic

BETA-CARYOPHYLLENE

Leaf

--

300.0

-0.19

*

BETA-CARYOPHYLLENE

Bark

--

22.0

*

BETA-MYRCENE

Leaf

--

40.0

-0.58

*

Activities (2)

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Perfumery Merck 11th Edition

BETA-MYRCENE

Bark

--

22.0

*

Activities (2)

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Perfumery Merck 11th Edition

BETA-PINENE

Leaf

--

60.0

-0.34

*

Activities (13)

Allergenic

Antiinflammatory

Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Antispasmodic

Candidicide

FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Irritant Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

Spasmogenic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Transdermal

BETA-PINENE

Bark

--

22.0

-1.0

*

Activities (13)

Allergenic

Antiinflammatory

Antiseptic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Antispasmodic

Candidicide

FLavor FEMA 15-600 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Herbicide Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Transdermal	

CIS-BETA-OCIMENE	Leaf	--	120.0	-0.71	*
CITRONELLAL	Leaf	--	20.0	-0.4	*

Activities (20)

Acaricide	
Allergenic	
Antibacterial	
Antiseptic 3.8 x phenol	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Antistaphylococcic	
Antistreptococcic	
Candidicide	
Embryotoxic	
FLavor FEMA <1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Insectifuge	Merck 11th Edition
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. <i>Flavor and Fragrance Substances</i> , in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. <i>Theapeutic properties of essential oils and fragrances</i> . Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Mutagenic?	
Nematicide MIC 1 mg/ml	Shoyakugaku Zasshi, 44: 183.
P450-2B1-Inhibitor IC50=1.56 uM	
Perfumery	
Pesticide	
Sedative ED=1 mg/kg	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Teratogenic	

CITRONELLOL	Leaf	--	60.0	-0.43	*
-------------	------	----	------	-------	---

Activities (15)

Allergenic	
Antibacterial	
Antiseptic	
Antistaphylococcic	
Antistreptococcic	
Candidicide	
FLavor FEMA 1-50	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	HerbalGram No. 17.
Herbicide IC50=160 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. <i>Flavor and Fragrance Substances</i> , in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Nematicide MLC=100 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Trichomonicide LD100=300 ug/ml	

CITRONELLOL	Bark	--	22.0	*
-------------	------	----	------	---

Activities (15)

Allergenic	
Antibacterial	
Antiseptic	
Antistaphylococcic	
Antistreptococcic	
Candidicide	
FLavor FEMA 1-50	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	HerbalGram No. 17.

Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Nematicide MLC=100 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Trichomonicide LD100=300 ug/ml	

CITRONELLYL-ACETATE	Leaf	--	20.0	-1.0	*
---------------------	------	----	------	------	---

Activities (2)

FLavor FEMA <1-700	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.

ELEMICIN	Leaf	--	540.0	-0.3	*
----------	------	----	-------	------	---

Activities (16)

Antiaggregant IC50=360 uM	Janssens, J., Laekeman, G.M., Pieters, L.A.C., Totte, J., Herman, A.G., and Vlietinck, A.J. 1990. Nutmeg Oil: Identification and Quantitation of its Most Active Constituents as Inhibitors of Platelet Aggregation. <i>J.of Ethnopharmacology</i> , 29: 179-188, 1990.
Antidepressant ihl	Jim Duke's personal files.
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antihistaminic	
Antiserotonic	Internat. J. Oriental Med. 15(4): 199, 1990+
Antistress ihl	Jim Duke's personal files.
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Fungicide MIC=8 ug	
Hallucinogenic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. <i>This and That: The Essential Pharmacology of Herbs and Spices. Tips</i> 13:15-20 Huxtable, R.J. 1992b. <i>The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Hypotensive ihl	Jim Duke's personal files.
Insecticide 100 ppm	
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide 100 ppm	
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. <i>This and That: The Essential Pharmacology of Herbs and Spices. Tips</i> 13:15-20 Huxtable, R.J. 1992b. <i>The Myth of Benificent Nature. The Risk of Herbal Preparations. Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Pesticide	
Schistosomicide	Grenand, P., Moretti, C., and Jacquemin, H. 1987. <i>Pharmacopees Traditionnelles en Guyane. l'ORSTROM</i> , Paris. 569 pp.

EO	Leaf	--	20000.0	0.74	*
EO	Bark	--	22000.0	0.96	*
EUGENOL	Leaf	--	60.0	-0.81	*

Activities (76)

Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm	
Allergenic	
Analgesic	Merck 11th Edition
Anesthetic 200-400	<i>Phytotherapy Research</i> , 4: 93.
AntiTNF	
Antiaggregant IC50=0.3 uM	<i>Phytotherapy Research</i> , 4: 93.
Antiarrachidonate	
Antibacterial 500 ppm	Valnet, J. 1982. <i>The Practice of Aromatherapy. Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York.</i> 279 pp.
Antibacterial MBC=400 ug/ml	
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiedemic 100	<i>Phytotherapy Research</i> , 4: 95.
Antiestrogenic	
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antigenotoxic 50-500 mg/kg orl mus	
Antiherapeutic IC50=16.2-25.6 ug/ml	
Antiinflammatory (11 uM) IC~97=1,000 uM	
Antikeratotic IC50=16.2-25.6 ug/ml	

	London. 791 pp.
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antinitrosating	
Antioxidant IC65=30 ppm	
Antioxidant 10 uM	
Antiprostaglandin 11 uM	
Antiprostaglandin IC50=9.2 mM	
Antipyretic 3 ml/man/day	
Antiradicular EC50=2 ul/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 3 ml/man/day	
Antiseptic 400 ug/ml	
Antispasmodic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia,344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis,NY,NY,191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antithromboxane	Lawrence Review of Natural Products, Jul-87.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Antiulcer	
Antiviral IC50=16.2-25.6 ug/ml	
Apifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
COX-1-Inhibitor IC97=1,000 uM	
COX-2-Inhibitor IC>97=1,000	
COX-2-Inhibitor IC50=129 uM	
Calcium-Antagonist IC50=224 uM	
Calcium-Antagonist IC50=200 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Phytotherapy Research, 4: 93.
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. J. Pharm. Pharmacol. 46: 14-18, 1994.
Choleretic	
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. Total Wellness. Prima Health, a division of Prima.
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.
Dermatitigenic	
Enterorelaxant	J. Aromatherapy 4: 22.
FLavor FEMA 10-500	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Hepatoprotective 100 ppm	
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bi活性 Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That:The Essential Pharmacology of Herbs and Spices. Tips 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. Ann. Intern. Med. 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. Gen Pharmacol, 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termicticide LD100=5 mg/g	
Trichomonicide LD100=300 ug/ml	
Trichomonastat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	

EUGENOL	Bark	--	110.0	-0.72	*
Activities (76)					
Acaricide LD50=5.47 ug/sq cm cf DEET at 37.59 ug/sq cm					
Allergenic					
Analgesic	Merck 11th Edition				
Anesthetic 200-400	Phytotherapy Research, 4: 93.				
AntiTNF					
Antiaggregant IC50=0.3 uM	Phytotherapy Research, 4: 93.				
Antiarachidonate					
Antibacterial 500 ppm	Valnet, J. 1982. <i>The Practice of Aromatherapy</i> . Translated from the 1980 French Edition by Robin Campbell and Libby Houston. Destiny Books, New York. 279 pp.				
Antibacterial MBC=400 ug/ml					
Anticonvulsant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, Londón. 791 pp.				
Antiedemic 100	Phytotherapy Research, 4: 95.				
Antiestrogenic					
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Antigenotoxic 50-500 mg/kg orl mus					
Antiherpetic IC50=16.2-25.6 ug/ml					
Antiinflammatory (11 uM) IC~97=1,000 uM					
Antikeratotic IC50=16.2-25.6 ug/ml					
Antimitotic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.				
Antinitrosating					
Antioxidant IC65=30 ppm					
Antioxidant 10 uM					
Antiprostaglandin 11 uM					
Antiprostaglandin IC50=9.2 mM					
Antipyretic 3 ml/man/day					
Antiradicular EC50=2 ul/l					
Antisalmonella MIC=400 ug/ml					
Antiseptic 3 ml/man/day					
Antiseptic 400 ug/ml					
Antispasmodic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Antistaphylococcic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.				
Antithromboxane	Lawrence Review of Natural Products, Jul-87.				
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.				
Antiulcer					
Antiviral IC50=16.2-25.6 ug/ml					
Apifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
COX-1-Inhibitor IC97=1,000 uM					
COX-2-Inhibitor IC>97=1,000 uM					
COX-2-Inhibitor IC50=129 uM					
Calcium-Antagonist IC50=224 uM					
Calcium-Antagonist IC50=200 uM gpg					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Candidicide	Phytotherapy Research, 4: 93.				
Carcinogenic?	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.				
Carminative	Yamamoto, A., Umemori, S., and Muranishi, S. 1993. Absorption Enhancement of Intrapulmonary Administered Insulin by Various Absorption Enhancers and Protease Inhibitors in Rats. <i>J. Pharm. Pharmacol.</i> 46: 14-18, 1994.				
Choleretic					
Cytochrome-P450-Inhibitor	Pizzorno, J. 1998. <i>Total Wellness</i> . Prima Health, a division of Prima.				
Cytotoxic 25 ug/ml	Phytotherapy Research, 4: 93.				
Dermatitogenic					
Enterorelaxant	J. Aromatherapy 4: 22.				

Fungicide	
Hepatoprotective	100 ppm
Herbicide	
Insecticide	
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	
Juvabional	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Larvicide	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=2,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Neurotoxic	R.J. Hixtable (Huxtable, R.J. (as T. Max). 1992. This and That: The Essential Pharmacology of Herbs and Spices. <i>Tips</i> 13:15-20 Huxtable, R.J. 1992b. The Myth of Benificent Nature. The Risk of Herbal Preparations. <i>Anns. Intern. Med.</i> 117(2):165-6; Huxtable, R.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Prostaglandin-Synthesis-Inhibitor 1 mM rbt	Chen, S. J., Wang, M. H., Chen, I. J. 1996. Antiplatelet and Calcium Inhibitory Properties of Eugenol and Sodium Eugenol Acetate. <i>Gen Pharmacol</i> , 27(4): 629-633.
Prostaglandin-Synthesis-Inhibitor IC50=9.2 uM	
Sedative	
Termiticide LD100=5 mg/g	
Trichomonicide LD100=300 ug/ml	
Trichomonistat IC50=10 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Trypsin-Enhancer	Lawrence Review of Natural Products, Dec-93.
Ulcerogenic	Phytotherapy Research, 4: 93.
Varroacide	
Vasodilator	
Vermifuge	

GERANIOL	Bark	--	22.0	-1.0	*
----------	------	----	------	------	---

Activities (35)

Allergenic	
Anthelmintic	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol. 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
Antibacterial MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Antibacterial MIC=64 ug/ml	
Antibacterial MBC=800 ug/ml	
Anticancer (Pancreas) IC50=265 uM	
Anticariogenic MIC=400 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Antimelanomic IC50=150 uM/l	
Antisalmonella MIC=400 ug/ml	
Antiseptic 7 x phenol	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Antiseptic MIC=64 ug/ml	
Antiseptic 400-800 ug/ml	
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdin, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (<i>Flores Graminis</i> , <i>Graminis Flos</i>) used in Aromatherapy. <i>J. Ess. Oil Res.</i> , 2: 185-191, 1990.
Antitubercular MIC=64 ug/ml	
Antitumor	Yu, S.G., Anderson, P.J., and Elson, C.E. 1995. Efficacy of B-Ionone in the Chemoprevention of Rat Mammary Carcinogenesis. <i>J. Agric. Food Chem.</i> 43: 2144-2147.
Antitumor (Pancreas) IC50=265 uM	
Ascaricide	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol. 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
CNS-Stimulant	List, P.H. and Horhammer, L. <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Embryotoxic	
Emetic 3 x ipecac	Lawrence Review of Natural Products, Sep-97.
Expectorant	Madaus, G. 1976. <i>Lehrbuch der Biologischen Hilfsmittel</i> . Vol. 1-3. 2862 pp. (+ 144 p. index). Georg Olms Verlag, Hildesheim. Reprint of 1938 Madaus.
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide IC93=2 mM	Lydon, J. & Duke, S., <i>The potential of pesticides from plants</i> , pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC100-2,000 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds</i> . (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectiphile	Merck 11th Edition
Mycobactericide MIC=64 ug/ml	
Nematicide IC86=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Nematicide MLC=1,000 ug/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Sedative	
Trichomonicide LD100=300 ug/ml	
<hr/>	
LIMONENE	Bark
	--
	440.0
	1.0
	*
Activities (60)	
AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacylcholinesterase IC22-26=1.2 mM	
Antidiademonic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. & Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antioesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterococontractant	J. Aromatherapy 4: 22.
Expectorant	
Flavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	

Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)

Ozone-Scavenger

P450-Inducer

Peristaltic

Pesticide

Photosensitizer

Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.

Sedative ED=1-32 mg/kg

Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)

Transdermal

LINALOOL	Bark	--	462.0	-0.06	*
Activities (53)					
Acaricide C90=<15 ul/l (=<15 ppm)					
Allergenic					
Analgesic					
Anesthetic 0.01-1 ug/ml					
Antiacetylcholinesterase					
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
Antianaphylactic					
Antibacterial MIC=1,600 ug/ml					
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Anticolic					
Anticonvulsant 200 mg/kg ipr mus					
Antiedemic					
Antiglutamaergic					
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
Antiinflammatory					
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.				
Antilymphomeric IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.				
Antimange					
Antimite					
Antimutagenic					
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)				
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdin, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.				
Antiviral					
Barbituate-Synergist					
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
CNS-Depressant					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Candidstat					
Carminative					
Culicide LC50=156-194 mg/l					
Cytotoxic					
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
FLavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide	Acta Botanica Sinica, 32: 49.				
GABA-nergic					
Hypnotic					
Hypothermic					
Insecticide LC50=156-194 mg/l					
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Larvicide LC50=156-194 mg/l					
Mosquitofuge > Deet					
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC				
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Merck 11th Edition				
Pesticide					
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.				

Sedative 200 mg/kg ipr mus
(1% as active as diazepam)

Termitifuge Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.

Trichomonicide LD100=600
ug/ml

Tumor-Promoter

LINALOOL	Leaf	--	240.0	-0.48	*
Activities (53)					
Acaricide C90=<15 ul/l (=<15 ppm)					
Allergenic					
Analgesic					
Anesthetic 0.01-1 ug/ml					
Antiacetylcholinesterase					
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
Antianaphylactic					
Antibacterial MIC=1,600 ug/ml					
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. <i>J. Agric. Food Chem.</i> 41: 1102-1105.				
Anticolic					
Anticonvulsant 200 mg/kg ipr mus					
Antiedemic					
Antiglutamaergic					
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
Antiinflammatory					
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.				
Antilymphomeric IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.				
Antimange					
Antimite					
Antimutagenic					
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)				
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (<i>Flores Graminis</i> , <i>Graminis Flos</i>) used in Aromatherapy. <i>J. Ess. Oil Res.</i> , 2: 185-191, 1990.				
Antiviral					
Barbituate-Synergist					
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
CNS-Depressant					
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Candidstat					
Carminative					
Culicide LC50=156-194 mg/l					
Cytotoxic					
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.				
FLavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry				
Fungicide	Acta Botanica Sinica, 32: 49.				
GABA-nergic					
Hypnotic					
Hypothermic					
Insecticide LC50=156-194 mg/l					
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.				
Larvicide LC50=156-194 mg/l					
Mosquitofuge > Deet					
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances, Chap.12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC				
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Merck 11th Edition				
Pesticide					
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.				
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)				
Sedative 200 mg/kg ipr mus (1% as active as diazepam)					
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Trichomonicide LD100=600					

Tumor-Promoter

METHYL-CHAVICOL	Bark	--	20878.0	*
Activities (6)				
Calcium-Antagonist IC50=258 uM				
DNA-Binder				
Hepatocarcinogenic	Bisset, N.G., ed. 1994. <i>Herbal Drugs and Phytopharmaceuticals</i> . CRC Press. Boca Raton, FL. 566 pp.			
Hypothermic				
Insecticide				
Pesticide				
METHYL-CHAVICOL	Leaf	--	640.0	-0.57
Activities (6)				
Calcium-Antagonist IC50=258 uM				
DNA-Binder				
Hepatocarcinogenic	Bisset, N.G., ed. 1994. <i>Herbal Drugs and Phytopharmaceuticals</i> . CRC Press. Boca Raton, FL. 566 pp.			
Hypothermic				
Insecticide				
Pesticide				
METHYL-EUGENOL	Leaf	--	17320.0	1.8
Activities (20)				
Anesthetic				
Antibacterial	Internat. J. Oriental Med. 15(4): 199, 1990+			
Anticonvulsant				
Antidote (Strychnine)				
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Antioxidant EC50=100 ul/l				
Antiradicular EC50=100 ul/l				
Antiseptic				
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Carcinogenic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.			
Flavor FEMA 5-15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Fungicide				
Fungistat 100 ug/ml	Laeckeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.			
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Myorelaxant	Fitoterapia No.61: 254, 1990.			
Narcotic				
Nematicide MIC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.			
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Pesticide				
Sedative				
METHYL-EUGENOL	Bark	--	66.0	*
Activities (20)				
Anesthetic				
Antibacterial	Internat. J. Oriental Med. 15(4): 199, 1990+			
Anticonvulsant				
Antidote (Strychnine)				
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Antioxidant EC50=100 ul/l				
Antiradicular EC50=100 ul/l				
Antiseptic				
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Carcinogenic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.			
Flavor FEMA 5-	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			

Fungicide	
Fungistat 100 ug/ml	Laeckeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Myorelaxant	Fitoterapia No.61: 254, 1990.
Narcotic	
Nematicide MIC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Sedative	

NEROLIDOL Leaf -- 20.0 -0.67 *

Activities (11)

Aldose-Reductase-Inhibitor	
Allergenic	
Antiacne	
Antibacterial MIC=25-200 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Anticariogenic MIC=25-200 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Antifeedant 1 mM (diet)	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Antistreptococcic	
FLavor FEMA 1-10	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

P-CYMENE Leaf -- 80.0 -0.33 *

Activities (16)

Analgesic	Martindale's 28th
Antiacetylcholinesterase IC40=1.2 mM	
Antibacillary	
Antibacterial	
Antiflu	
Antirheumatalgic	Martindale's 28th
Antiviral	
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. <i>Flavor and Fragrance Substances</i> , in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. <i>Flavor and Fragrance Substances</i> , in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. <i>Flavor and Fragrance Substances</i> , in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Trichomonicide LD100=50 ug/ml	

TERPINEN-4-OL Leaf -- 100.0 -0.28 *

Activities (23)

Allelopathic	Wright,C.W.(Ed)2002. <i>Medicinal&Aromatic Plants-Industrial Profiles</i> .Artemisia.344pp.Maffei,M.(Ed)2002. <i>Vetiveria</i> .The Genus <i>Vetiveria</i> .Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999. <i>Tea Tree</i> .The Genus <i>Melaleuca</i> .Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacetylcholinesterase IC21-24-1.2 mM	
Antiacne	
Antiallergic	
Antiasthmatic	Chin. J. Tuber. Respir. Dis., 4:203, 1982.
Antibacterial	
Antioxidant	
Antiseptic	Flav. & Frag. J. 9: 129.
Antispasmodic	
Antitussive	Chin. J. Tuber. Respir. Dis.
Antiulcer	
Bacteriostatic	Chin. J. Tuber. Respir. Dis.

Fungicide

Herbicide IC₅₀=200 mM Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.

Herbicide IC₅₀=22 uM Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.

Insectifuge

Irritant Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Nematicide MLC=1 mg/ml Shoyakugaku Zasshi, 44: 183.

Pesticide

Renoirritant Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Spermicide ED₁₀₀=0.015

Vulnerary Lawrence Review of Natural Products, Jan-91.